



BROWARD COUNTY BOARD OF RULES AND APPEALS

FBC 8TH EDITION (2023) FORMAL INTERPRETATION (#24)

1 N. University Drive, Suite 3500B
Plantation, Florida 33324

Phone: 954-765-4500

Email: rulesboard@broward.org
www.broward.org/CodeAppeals

2025 Voting Members

Chair Gregg D'Attilio,
Mechanical Contractor

Vice-Chair Ron Burr,
Swimming Pool Contractor

Mr. Stephen Bailey, P.E.,
Electrical Engineer

Mr. John Famularo,
Roofing Contractor

Mrs. Shalanda Giles Nelson,
General Contractor

Mr. Robert A. Kamm, P.E.,
Mechanical Engineer

Mr. Daniel Lavrich, P.E., S.I.,
F.ASCE, F.SEI, Structural Engineer

Mr. Sergio Pellecer,
Fire Service Professional

Mr. Daniel Rourke,
Master Plumber

Mr. Peter Deveaugh,
Master Electrician

Mr. Dennis A. Ulmer,
Consumer Advocate

Ms. Lynn E. Wolfson,
Disabled Community Representative

Mr. Abbas H. Zackria, CSI,
Architect

2025 Alternate Board Members

Mr. Steven Feller, P.E.,
Mechanical Engineer

Mr. Jeff Falkanger,
Architect

Mr. Alberto Fernandez,
General Contractor

Mr. David Rice, P.E.,
Electrical Engineer

Mr. Robert Taylor,
Fire Service Professional

Mr. James Terry,
Master Plumber

Mr. David Tringo,
Master Electrician

Mr. Derek A. Wassink,
P.E., R.A., S.I., S.T.S.2.,
Structural Engineer

Eduard C. Badiu, PhD, P.E.
Roofing Contractor

Board Attorney
Charles M. Kramer, Esq.

Administrative Director
Dr. Ana Barbosa

DATE: January 9, 2025
TO: All Building Officials
FROM: Dr. Ana Barbosa, Administrative Director 
SUBJECT: Retrofit of Windows, Doors, Garage Doors,
and Shutters FBC Existing Building, Alteration Level

At its meeting on October 12, 2023, the Board approved an interpretation of Retrofit of Windows, Doors, Garage Doors, and Shutters for detached one- and two-family dwellings and multiple single-family dwellings (townhouses) with common roof height < 30 feet.

Formal Interpretation:

1. A Florida Professional Engineer or Architect may modify the buck or fasteners as specified in a Notice of Acceptance. Such modification must be documented with a signed and sealed letter or drawing.
2. To obtain the required design pressure for a specific opening at a specific site, an individual must utilize one of the following and submit documentation as indicated.
 - a) A site-specific plan (signed and sealed) by a Florida Professional Engineer or Architect indicating the location of all retro openings and the required design pressures.
 - b) A site-specific plan (not sealed) indicating the location of all retro openings accompanied by a worst-case design pressure chart (signed and sealed) prepared by a Florida P.E. or Architect.
 - c) A site-specific plan (not sealed) indicating the location of all openings and indicating the required design pressures based on the Broward County Fenestration Voluntary Wind Load Chart. (See attached chart).
3. Buildings with a (height) > 30 feet or more shall have a site-specific design (signed and sealed) by a Florida Professional Engineer or Architect, indicating the location of all retro openings and the required design pressures for each opening.

NOTE: Generic charts, graphs alone, etc., are not acceptable for buildings above 30 feet.




EFFECTIVE DATE: December 31, 2023

EFFECTIVE DATE: January 9, 2025

***** PLEASE POST AT YOUR PERMIT COUNTER *****

ASCE 7-22

Roof and Wall Zone Chart Diagrams

Wall Pressure Chart	Flat Roof Uplift Chart	Gable Roof Uplift Chart	Hip Roof Uplift Chart
			

Instructions on how to use these Charts: Determine the Mean Roof Height, h , which is the top of the roof for flat roofs or the mean roof height for pitched roofs. Find the least horizontal dimension for your building, not including an overhang if it occurs. Calculate the value of, a , = 10% of least horizontal dimension or $0.4 \cdot h$, whichever is smaller, but not less than either 4% of least horizontal dimension or 3 feet. If your roof height is less than 30 feet, but not exactly 15, 20, or 25 feet, you will need to go to the next higher roof height. If your Mean Roof Height is higher than 30 feet, these charts do not apply. Review the diagram that illustrates the wall and roof zones and determine the wind zone in which the component is located. Determine the tributary area of the component. If the tributary area falls in between values, use the value of the smaller tributary area. Select the positive and negative wind pressures corresponding to the wall or roof zone where your component is located. Door pressures shown are for the most common door sizes and are worst case for heights ≤ 30 Feet.

Wall Pressure for All Roof Types													Overhead Garage Door Pressures			
Mean Roof Height	15 ft.						20 ft.						≤ 30 ft.			
Tributary Area	10	20	35	50	100	500	10	20	35	50	100	500	Effective Wind Area		Positive	Negative
													Width	Height		
Wall Positive Pressure	38.1	36.3	35.0	34.1	32.4	28.4	40.4	38.5	37.1	36.1	34.3	30.1	8	8	38.6	- 48.2
Zone 4 Negative Pressure	- 41.4	- 39.6	- 38.2	- 37.3	- 35.6	- 31.6	- 43.8	- 42.0	- 40.5	- 39.6	- 37.7	- 33.5	8	8	38.6	- 48.2
Zone 5 Negative Pressure	- 51.0	- 47.5	- 44.8	- 43.0	- 39.6	- 31.6	- 54.0	- 50.4	- 47.5	- 45.6	- 42.0	- 33.5	10	10	37.4	- 45.7
Mean Roof Height	25 ft.						30 ft.						14	14	35.4	- 41.8
Tributary Area	10	20	35	50	100	500	10	20	35	50	100	500	9	7	38.7	- 48.3
Wall Positive Pressure	42.2	40.3	38.8	37.8	35.9	31.5	43.9	41.9	40.3	39.3	37.3	32.8	16	7	37	- 45.0
Zone 4 Negative Pressure	- 45.8	- 43.9	- 42.4	- 41.4	- 39.5	- 35.1	- 47.6	- 45.7	- 44.1	- 43.1	- 41.1	- 36.5				
Zone 5 Negative Pressure	- 56.6	- 52.8	- 49.7	- 47.8	- 43.9	- 35.1	- 58.8	- 54.7	- 51.7	- 49.6	- 45.7	- 36.5				

CITY OF PEMBROKE PINES SUBMITTAL

BORA Policy 20-01

BROWARD COUNTY UNIFORM RETROFIT WINDOW & DOOR SCHEDULE

PAGE ____ OF ____

NAME: _____ SITE ADDRESS: _____ CONTACT #: _____

1	2	3		4		5		6		7		8		9		10	
OPENING LOCATION ID	PRODUCT ACCEPTANCE NUMBER	PRODUCT APPROVAL PRESSURE RATING		REQUIRED DESIGN PRESSURE		OPENING SIZES		ZONE LOCATION		Impact Glazing		OPENING HAS EXISTING SHUTTERS		NEW SHUTTERS REQUIRED		MULLION TUBES REQUIRED	
		(+) PSF	(-) PSF	(+) PSF	(-) PSF	WIDTH X HEIGHT IN INCHES	AREA IN SQ FEET	4 INTER	5 END	YES	NO	YES	NO	YES	NO	YES	NO
						X											
						X											
						X											
						X											
						X											
						X											
						X											
						X											
						X											
						X											
						X											

IDENTIFY OPENINGS ALPHABETICALLY OR NUMERICALLY ON ELEVATION SHEETS.

IDENTIFY VERTICALLY STACKED GLASS IN THE SAME OPENINGS FROM BOTTOM TO TOP WITH SUB NUMBERS (Example: A, A1, A2, ETC.).

MEAN ROOF HEIGHT: _____